



RSV – Infection Prevention and Control

Patients Name:

Patient CHI:

RSV positive on the (Date):

Infection Control Advice is as follows:

- Patient should be nursed in a single side room or RSV cohort area.
- Please follow the NHS GGC RSV SOP while the patient is infectious
- Patient’s environment and equipment should be cleaned twice daily using chlorine based detergent.
- Precautions are required until discharge or patient has been asymptomatic for >48 hours
- Please provide RSV Parent Information sheet to parents/guardians

This advice has been given by: _____ (IPCN)
Date: _____



RSV – Infection Prevention and Control

Patients Name:

Patient CHI:

RSV positive on the (Date):

Infection Control Advice is as follows:

- Patient should be nursed in a single side room or RSV cohort area.
- Please follow the NHS GGC RSV SOP while the patient is infectious
- Patient’s environment and equipment should be cleaned twice daily using chlorine based detergent.
- Precautions are required until discharge or patient has been asymptomatic for >48 hours
- Please provide RSV Parent Information sheet to parents/guardians

The above advice has been given by _____ (IPCN)
Date: _____



RSV – Infection Prevention and Control

Patients Name:

Pateints CHI:

RSV positive on the (Date):

Infection Control Advice is as follows:

- Patient should be nursed in a single side room or RSV cohort area.
- Please follow the NHS GGC RSV SOP while the patient is infectious
- Patient’s environment and equipment should be cleaned twice daily using chlorine based detergent.
- Precautions are required until discharge or patient has been asymptomatic for >48 hours
- Please provide RSV Parent Information sheet to parents/guardians

This advice has been given by _____ (IPCN)
Date: _____



RSV – Infection Prevention and Control

Patients Name:

Pateints CHI:

RSV positive on the (Date):

Infection Control Advice is as follows:

- Patient should be nursed in a single side room or RSV cohort area.
- Please follow the NHS GGC RSV SOP while the patient is infectious
- Patient’s environment and equipment should be cleaned twice daily using chlorine based detergent.
- Precautions are required until discharge or patient has been asymptomatic for >48 hours
- Please provide RSV Parent Information sheet to parents/guardians

The above advice has been given by _____ (IPCN)
Date: _____



RSV – Infection Prevention and Control

Patients Name:

Patient CHI:

RSV positive on the (Date):

Infection Control Advice is as follows:

- Patient should be nursed in a single side room or RSV cohort area.
- Please follow the NHS GGC RSV SOP while the patient is infectious
- Patient’s environment and equipment should be cleaned twice daily using chlorine based detergent.
- Precautions are required until discharge or patient has been asymptomatic for >48 hours
- Please provide RSV Parent Information sheet to parents/guardians

The above advice has been given by: _____ (IPCN)
Date: _____



RSV – Infection Prevention and Control

Patients Name:

Patient CHI:

RSV positive on the (Date):

Infection Control Advice is as follows:

- Patient should be nursed in a single side room or RSV cohort area.
- Please follow the NHS GGC RSV SOP while the patient is infectious
- Patient’s environment and equipment should be cleaned twice daily using chlorine based detergent.
- Precautions are required until discharge or patient has been asymptomatic for >48 hours
- Please provide RSV Parent Information sheet to parents/guardians

The above advice has been given by _____ (IPCN)
Date: _____