



Coronavirus (COVID-19) – Important advice for people with Chronic Heart Disease

This leaflet provides you and your family with information about how Coronavirus (COVID-19) might affect you if you have chronic heart disease.

The most common symptoms of Coronavirus (COVID-19) are a new continuous cough and/or a fever/high temperature (37.8 °C or greater).

A new continuous cough is where you:

- have a new cough that's lasted for an hour
- have had 3 or more episodes of coughing in 24 hours
- are coughing more than usual

A high temperature is feeling hot to the touch on your chest or back (you don't need to measure your temperature). You may feel warm, cold or shivery.

Some people will have more serious symptoms, including pneumonia or difficulty breathing, which might require admission to hospital.

Your safety is our priority and we aim to minimise disruption to hospital services where possible. The NHS will continue to provide emergency and urgent care for all patients. With that in mind we have listed some important information below. This advice includes answers to questions you may have and details on services that can offer advice and support.

Some groups of people are considered to be at extremely high risk of severe illness with Coronavirus (COVID-19). If you are in this group you will receive a letter from NHS Scotland or be contacted by your doctor. If you are in this group you should follow shielding measures:

<https://www.nhsinform.scot/illnesses-and-conditions/infections-and-poisoning/coronavirus-covid-19/coronavirus-covid-19-shielding>

What should I know about Coronavirus (COVID-19) and chronic heart disease?

Although the main target of the virus is the lungs, some people with chronic heart disease are more at risk of becoming ill if they contract the Coronavirus (COVID-19) infection.

The heart has to work harder during the illness so this could affect patients who already have problems with weakened heart muscle (chronic heart failure).

For patients with chronic heart failure, more comprehensive information is available on the Scottish Heart Failure Hub website:
www.heartfailurehubscotland.co.uk/covid-19/

The virus also may pose a risk for people who have the fatty build-up known as plaque in their arteries (coronary artery disease). Similar viral illnesses can affect these plaques which can, in some cases worsen chest pain (angina) symptoms or increase the risk of having a heart attack.

Some patients with chronic heart disease may also have a weakening of the immune system. For those with a specific inherited cardiac condition, for example, a cardiomyopathy or Long QT Syndrome, more relevant information is available on the Scottish National Inherited Cardiac Conditions website: www.niccs.scot.nhs.uk/

Where can I call for support?

If you have concerns about your condition or your treatment you should your GP, Heart Failure Liaison Nurse or Cardiac Rehabilitation team.

The NHS Inform Scotland website has up-to-date information and answers to frequently asked questions.

www.nhsinform.scot/coronavirus

For general information and any concerns about Coronavirus (COVID-19) you can call the Coronavirus (COVID-19) helpline on 0800 028 2816.

You can contact the British Heart Foundation Helpline on 0300 330 3311, email hearthelpline@bhf.org.uk or visit their website for further information and support: <https://www.bhf.org.uk/>

You can contact the Chest Heat & Stroke Scotland Advice Line on 0808 801 0899 or visit their website for further information and support:
<https://www.chss.org.uk/coronavirus/coronavirus-advice/>

For other non-emergency health concerns, your first point of contact should still be your GP or 111. They are likely to assess you over the telephone or by video link rather than in person to reduce the risk of infection from Coronavirus (COVID-19).

Will my treatment change?

Your treatment plan is individual to you and should not be changed without advice from your medical professional.

There has been some adverse publicity regarding ACE inhibitors and susceptibility to Coronavirus (COVID-19). There is no evidence to support this and it is dangerous to stop important therapy for heart disease.

If you are being treated with ACE inhibitors (drug names ending in –pril such as Ramipril) or AR blockers (drug names ending in –sartan such as Candesartan) or sacubitril/valsartan (Entresto), do not stop these unless told to by your medical professional.

Individual decisions based on the benefits and risks of your treatment may have to be made with you if the rate of Coronavirus (COVID-19) infection in the community rises. Alternative therapy options involving fewer visits to hospital may be offered to you. For example, if you are taking warfarin, this may be changed to a new blood thinning medication to avoid the need for international normalised ratio (INR) checks. If you have a mechanical heart valve, you will have to stay on warfarin but the new blood thinning medication can be used if you have a tissue heart valve or valve repair.

Should I still go to hospital appointments?

If you are receiving treatment for a chronic heart condition, it is important that you take extra care of your overall wellbeing, and attending hospital appointments is part of this.

Your clinical team will try to minimise the time you spend in hospital departments, for example arranging telephone or Near Me video consultations and offering blood tests at a different NHS site. Make sure your care provider has your up-to-date contact details.

Please assume all appointments will continue, but check with your clinical team first in case any different arrangements need to be made.

If you have symptoms of possible Coronavirus (COVID-19) infection then do not come to the hospital. Instead you should check your symptoms against the information on NHS Inform <https://www.nhsinform.scot/illnesses-and-conditions/infections-and-poisoning/coronavirus-covid-19> and call 111 to seek further advice.

Please tell the call handler about your heart condition. Please also inform your heart disease clinical team.

Being visited by friends or relatives in hospital, or someone going with you to appointments is now restricted unless essential. The following visits are deemed essential:

- a person receiving end-of-life care
- to support someone with a mental health issue such as dementia, a learning disability or autism where not being present would cause the patient to be distressed
- to accompany a child in hospital.

If relatives or friends need to visit you, it is vital that they wash their hands for at least 20 seconds on arrival and often after that.

If hospital admission is likely please remember to pack your mobile phone and phone charger so you can keep in touch with relatives and friends.

I am part of the group who are identified as at higher risk of illness and got a letter from the NHS. Is there something I need to do differently to reduce the risk of Coronavirus (COVID-19)?

The safest course of action is for you to stay at home at all times and avoid all face-to-face contact for at least twelve weeks, except from carers and healthcare workers who you must see as part of your medical care. The rest of your household should support you to stay safe and closely follow guidance on social distancing, reducing their contact inside and outside the home. This will help protect you by stopping you from coming into contact with the virus.

Things you or the person you care for should be doing and not doing to stay safe.

- **DO STRICTLY AVOID** contact with anyone who is displaying symptoms of coronavirus (COVID-19). These symptoms include high temperature (above 37.8 °C) and/or a new and continuous cough. You might want to have a thermometer at home to check your temperature if you are worried that you may have a fever.
- **DON'T** leave your home.
- **DON'T** attend any gatherings. This includes gatherings of friends and families in private spaces e.g. family homes, weddings and religious services.
- **DON'T** go out for shopping, leisure or travel. When arranging food or medication deliveries, these should be left at the door to minimise contact.
- **DO** keep in touch using remote technology such as phone, internet, and social media.
- **DO** use telephone or online services to contact your GP (for non-coronavirus issues) or other essential services.
- **DO** regularly wash your hands with soap and water for 20 seconds. Ask carers or support workers who visit your home to do the same.

The rest of your household need to support you to stay safe and must stringently follow guidance on social distancing, reducing physical contact with other people outside the home.

In your home, you should:

- minimise the time you spend with others in shared spaces (kitchen, bathroom and sitting areas) and keep any shared spaces well ventilated.
- aim to keep 2 metres away from others and encourage them to sleep in a different bed where possible.

- use separate towels and, if possible, use a separate bathroom from the rest of the household, or clean the bathroom with cleaning products after every use.
- avoid using the kitchen when others are present, take your meals back to your room to eat where possible, and ensure all kitchenware is cleaned thoroughly using a dishwasher at the 60 degrees setting if possible, otherwise in very warm soapy water.

If the rest of your household are able to follow this guidance to help keep you safe, there is no need for them to wear any special medical clothing or equipment.

I have not received a letter from the NHS, but I am currently being treated for chronic heart disease, do I need to do anything differently to reduce the risk of Coronavirus (COVID-19)?

If you have not yet received a letter from NHS Scotland but believe you fall within the highest risk group you are advised to protect yourself immediately by following the shielding measures set out on the NHS Inform website. You will be contacted by NHS Scotland with more information on how to access additional support, if you need it.

<https://www.nhsinform.scot/illnesses-and-conditions/infections-and-poisoning/coronavirus-covid-19/coronavirus-covid-19-shielding>

If you have not received a letter and do not believe you are in the highest risk group, you do not need to follow the shielding measures but you should still be particularly careful in trying to reduce the risk of becoming infected with Coronavirus (COVID-19).

You should follow the most up to date guidance on social distancing, which will protect you and others from picking up the virus:

<https://www.nhsinform.scot/illnesses-and-conditions/infections-and-poisoning/coronavirus-covid-19/coronavirus-covid-19-general-advice>

If you develop symptoms of Coronavirus (COVID-19) your household should follow the instructions to self-isolate: <https://www.nhsinform.scot/illnesses-and-conditions/infections-and-poisoning/coronavirus-covid-19/coronavirus-covid-19-guidance-for-households-with-possible-coronavirus-infection>

Will my symptoms be different because I have a chronic heart condition and what should I look out for?

The symptoms of Coronavirus (COVID-19) will be the same as the general population but heart failure symptoms (fluid retention or breathlessness) or chest pain (angina) may become worse.

If this happens you will need to speak to your GP or local Heart Failure Liaison Nurse, if you have one. They will be able to advise or seek advice from appropriate medical professionals.

Who should I contact if I become unwell or develop side effects while on my current medicines?

If you have acute chest pain or sudden breathlessness and you need immediate medical attention call 999. If you feel that your heart disease symptoms are worsening contact your GP or specialist cardiac nurse, if you have one.

If you think you may have Coronavirus (COVID-19), developed a new continuous cough and/or a fever/high temperature do not go to your GP, pharmacy or hospital.

You should phone 111 if:

- your symptoms worsen,
- breathlessness develops or worsens,
- your symptoms haven't improved in 7 days

Tell the call handler about your heart condition.

If you have a medical emergency, phone 999 and tell them you have Coronavirus (COVID-19) symptoms.

What should I do to collect my routine medications?

You should ask family, friends and neighbours to support you and use online services.

If this isn't possible, then the public sector, business, charities, and the general public are gearing up to help those advised to stay at home. It's important to speak to others and ask them to help you to make arrangements for:

- food
- medicines
- essential services and supplies
- looking after your physical health, mental health and wellbeing

If you receive support from health and social care organisations, such as care support through your local authority, this will continue as normal.

Your health or social care provider will be asked to take additional precautions to make sure that you're protected.

What should I do if I am a carer for someone with chronic heart disease?

Coronavirus (COVID-19) can have serious effects on anyone who has a long-term health condition or a weakened immune system, including some people with chronic heart disease.

If you're caring for someone who's vulnerable, there are some simple steps that you can take to protect them. You should follow advice on good hygiene, such as:

- Wash your hands on arrival and often - use soap and water for at least 20 seconds or use hand sanitiser

- Cover your mouth and nose with a tissue or your sleeve (not your hands) when you cough or sneeze
- Put used tissues in the bin immediately and wash your hands
- Don't visit if you're unwell and make alternative arrangements for their care
- Provide them with information on who they should call if they feel unwell (their GP phone number and 111) and how to use NHS inform
- Access advice on creating a contingency plan from Carers UK
- Find out about different sources of support that could be used
- Look after your own well-being and physical health

As we are being asked to stay at home for a prolonged period, how can I maintain positive mental health?

We understand that the situation you may be facing at the moment due to Coronavirus (COVID-19) and your health condition can increase anxiety.

There are simple things you can do that may help, to stay mentally and physically active during this time, such as:

- Exercise regularly - look for ideas of exercises you can do at home
- Spend time doing things you enjoy – this might include reading, cooking, other indoor hobbies or listening to/watching favourite radio or TV programmes
- Eat healthy, well-balanced meals
- Drink enough water
- Try to avoid smoking, alcohol and drugs
- Keep your windows open to let in fresh air
- Arrange a space to sit with a nice view, if possible
- Get some natural sunlight if you can or sit on your front step, staying more than 2 metres away from others

Support in dealing with anxiety around impacts of Coronavirus (COVID-19) can also be found at:

<https://breathingspace.scot/>

<https://www.samh.org.uk/>

<https://www.supportinmindscotland.org.uk/>

Tips on how to cope if you are worried about Coronavirus (COVID-19) and in isolation can be found at:

<https://learn.nes.nhs.scot/28084/coronavirus-covid-19/psychosocial-support-and-wellbeing/tips-on-how-to-cope-if-you-are-worried-about-coronavirus-and-in-isolation>

NHS Inform has further resources to help your mental wellbeing:

<https://www.nhsinform.scot/illnesses-and-conditions/infections-and-poisoning/coronavirus-covid-19>

Are my carers, and/or friends and family still allowed to visit my home?

You should let your regular visitors know that you are reducing social contacts and they shouldn't visit you during this time, unless they are providing essential care for

you. Essential care includes things like help with washing, dressing, or preparing meals.

If you receive regular health or social care from an organisation, either through your local authority or paid for by yourself, inform your care providers that you are reducing social contacts and agree a plan for continuing your care.

If you receive essential care from friends or family members, these carers can continue to visit, unless they have any of the symptoms of Coronavirus (COVID-19). Carers will be provided with gloves and facemasks to reduce the risk of passing on infection.

It's also a good idea to speak to your carers about what happens if one of them becomes unwell. If you need help with care but you're not sure who to contact, your local council should be able to help you.

If you need help with care but you're not sure who to contact please visit <https://careinfoscotland.scot/topics/how-to-get-care-services>